

**01 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

Product trade name	Speed Flex, Adhesive and Sealant, different colours
Product code	136000
Chemical family	1-Component Adhesives and Sealants, permanently elastic
Product use	Sealant
Manufacturer	Weicon GmbH & Co. KG Königsberger Straße 255, D-48157 Münster Telephone: +49 (0) 251 / 9322 - 0 Telefax: +49 (0) 251 / 9322 - 244 e-mail: info@weicon.de Internet : www.weicon.de

Responsible for the safety data sheet: sds@gbk-ingelheim.de

Supplier	WEICON Inc. 20 Steckle Place, Unit 20 Kitchener, Ontario N2E 2C3 Telephone: 519 896 5252 Telefax: 519 896 5254 e-mail: info@weicon.ca
-----------------	--

Emergency advice 0 11 49 178 433 74 34 (CONSULTANK Lutz Harder GmbH)

02 HAZARDS IDENTIFICATION

Emergency overview	No hazard warning required.
Potential Health Effects	No hazard warning required.
Routes of entry	Skin and eye contact and inhalation
Carcinogenicity	NTP:No IARC:No OSHA:No
WHMIS Classification	Not regulated as a controlled product.

03 COMPOSITION / INFORMATION ON INGREDIENTS

Not classified as a dangerous preparation by the workplace regulations.

04 FIRST AID MEASURES

Skin	Remove contaminated clothing immediately. Dab affected skin part with a cotton ball or cellulose and wash it afterwards with plenty of water and a mild cleaner. Consult a doctor if irritation
-------------	---

**04 FIRST AID MEASURES**

	persists.
Eyes	Wash eyes immediately with large amounts of water for about 15 minutes, especially under the eyelids. Consult an eye specialist immediately if irritation occurs.
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. If swallowed drink plenty of water and seek medical attention immediately.
Inhalation	In the event of excessive inhalation, remove the individual to fresh air and keep him immobile. In the event of symptoms seek medical assistance immediately.

05 FIRE AND EXPLOSION DATA

Flashpoint	>100°C
Extinguishing media	Alcohol resistant foam, dry powder, carbon dioxide, water spray jet
Extinguishing media not to be used for safety reasons	Full water jet
Special hazards during fire fighting	Do not inhale fire combustion gases or smoke.
Hazardous combustion products	Emits toxic fumes under fire conditions (i.e. carbon monoxide (CO) and carbon dioxide (CO ₂)).
Special fire-fighting procedures	Use self-contained breathing apparatus and full protective clothing to prevent contact with skin and eyes.

06 ACCIDENTAL RELEASE MEASURES

Spill and leak procedures	Wear appropriate personal protective equipment. Pick up using inert absorbents and place in suitable containers for disposal.
Pollution control measures	Do not allow untreated product into drains, surface or ground water.

07 HANDLING AND STORAGE

Handling	No special measures required. Take the usual precautions for handling chemicals and fire protection.
Storage	Keep container tightly closed and store in a cool and aired space. Do not store together with food. Protect from frost, from heat and direct solar radiation. Store in a dry place.

08 EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS:

Component	CAS#	Exposure limits
-----------	------	-----------------

Material Safety Data Sheet

(ANSI Z400.1-2004)



Printed

21.01.2013

Revision

21.01.2013 (Can) Version 4.1

Speed Flex, Adhesive and Sealant, different colours

Methanol

67-56-1

200 ppm TWA ACGIH

Skin protection

Use protective clothing to prevent skin contact. Wear butyl rubber gloves; 0.6 mm; 480 min.; 60 min. In cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the gloves.

Eye protection

Use of safety glasses with side shields is recommended.

Respiratory protection

If ventilation is insufficient, wear respiratory protection.

General Protection and Hygiene measures

Remove soiled or soaked clothing immediately. Do not eat, drink or smoke when working. Keep separated from food or feed. Wash hands/or face before taking breaks and at the end of work.

09 PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Pasty	Physical form	paste
Color	Various	Odor	characteristic
Flash point	>100 °C		
Ignition temperature	>200°C		
Lower explosion limit	No determined		
Upper explosion limit	Not determined		
Vapor pressure	<100 mbar, 20°C		
Density	1.6 g/cm ³ , 20°C		
Solubility in water	Insoluble		

10 STABILITY AND REACTIVITY

Chemical stability	Stable, no decomposition occurs if used as directed.
Hazardous decomposition products	Nitrous gases. May form methanol with water/moisture.
Polymerization	None
Incompatibilities	May form methanol in contact with water or moisture. Reacts with acids and strong oxidizing agents.

11 TOXICOLOGICAL INFORMATION

General experience	Assessment of toxicity requires no warning labels.
--------------------	--

12 ECOLOGICAL INFORMATION

Biological degradability	Not determined
Additional information	Do not release untreated product into the environment. Do not discharge product into the aquatic environment.



Printed

21.01.2013

Revision

21.01.2013 (Can) Version 4.1

Speed Flex, Adhesive and Sealant, different colours

13 DISPOSAL CONSIDERATIONS

Product disposal Dispose in accordance with federal, state or local regulations. Empty packaging can be disposed via recyclable waste collectors.

14 TRANSPORT INFORMATION

TDG / DOT shipping name Not regulated
Marine transport IMDG Not regulated
Air transport ICAO/IATA Not regulated

15 REGULATORY INFORMATION

Note: Entries under Section 15 cover only those regulations typically addressed in the MSDS generating process, such as TSCA and EPCRA/SARA Title III.

USA TSCA status All of the components are on the TSCA Inventory.
Canadian DSL status All of the components are listed on the DSL Inventory.
SARA Title III To the best of our knowledge this product contains no toxic chemicals subject to the supplier notification requirements of Section 313 of the Superfund Amendments and Reauthorization Act (SARA/EPCRA) and the requirements of 40 CFR Part 372.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information by CPR.

16 OTHER INFORMATION

Further information Federal and local chemical regulations should be observed.
WHMIS HAZCOM Label Not required

To the best of our knowledge, the information contained in this MSDS is accurate. It is intended to assist the user in his evaluation of the product's hazards, and safety precautions to be taken in its use. The data on this MSDS relate only to the specific material designated herein. We do not assume any liability for the use of, or reliance on this information, nor do we guarantee its accuracy or completeness.